

11. REFERENCES

- Ambrose, R.A., Jr., T.A. Wool, and J.L. Martin. 1995. The Water Quality Analysis Simulation Program, WASP5, Part A: Model documentation. Athens, GA: U.S. EPA National Exposure Research Laboratory, Ecosystems Division.
- Arnold, J.R., R.L. Dennis, and G.S. Tonnesen. 1998. Advanced techniques for evaluating eulerian air quality models: Background and methodology. 10th Joint Conference on the Applications of Air Pollution Meteorology with the A&WMA, January 11-16.
- Beck, M.B. and J. Chen. 1999. Assuring the quality of models designed for predictive tasks. In: Wiley. Handbook on Sensitivity Analysis. In press.
- Beck, M.B., J.R. Ravetz, L.A. Mulkey, and T.O. Barnwell. 1997. On the problem of model validation for predictive exposure assessments. *Stochastic Hydrology and Hydraulics*. 11:229-254.
- Beck, M.B. 1987. Water quality modeling: A review of the analysis of uncertainty. *Water Resources Research*. 23(8): 1393-1442.
- Bennet, D.H., T.E. McKone, and M.G. Dusetzina. 1997. Building uncertainty and sensitivity analysis into the TRIM framework. Annual Meeting of the Society of Risk Analysis, Washington, DC.
- Booch, G. 1993. Object-Oriented Analysis and Design with Applications. Redwood City, CA: The Benjamin/Cummings Publishing Company, Inc.
- Brades, L.J., H. den Hollander, and D. van der Meent. 1997. SimpleBOX v 2.0. Netherlands: National Institute of Public Health and the Environment (RIVM).
- Browner, C. 1995. Memo on Risk Characterization Program. U.S. Environmental Protection Agency, Washington, DC. March 21, 1995.
- Bull, K.R., R.D. Roberts, M.J. Inskip, and G.T. Goodman. 1977. Mercury concentrations in soil, grass, earthworms and small mammals near an industrial emission source. *Environ. Pollut.* 12:135-140.
- Chen, J. and M.B. Beck. 1998. Quality assurance of multi-media model for predictive screening tasks. EPA/600/R-98/106. National Exposure Research Laboratory.
- Coats, C. 1998. The EDSS/Models-3 I/O API. <http://www.iceis.mcnc.org/EDSS/ioapi/>.
- Cohn R.D. and R.L. Dennis. 1994. The Evaluation of acid deposition models using principal component spaces. *Atmospheric Environment*. 28(15): 2531-2543.

Cohrssen, J.J. and V.T. Covello. 1989. Risk analysis: A guide to principles and methods for analyzing health and environmental risks. Washington, DC: Council on Environmental Quality and U.S. Department of Commerce.

Cowan, C.E., D. Mackay, T.C.J. Feihel, D. van de Meent, A. DiGuardo, J. Davies, and N. Mackay. 1995. The multi-media fate model: A vital tool for predicting the fate of chemicals. Pensacola, FL: SETAC Press.

CRARM. 1997. Commission on Risk Assessment and Risk Management. Risk assessment and risk management in regulatory decision-making. Final report, Volume 2. Washington, DC.

Cullen, A.C. and H.C. Frey. 1999. Probabilistic techniques in exposure assessment: A handbook for dealing with variability and uncertainty in models and inputs. New York, NY: Plenum Press.

Dennis, R.L., W.R. Barchet, T.L. Clark, S.K. Seilkop, and P.M. Roth. 1990. Acid deposition: State of science and technology. Report 5. Evaluation of Regional Acidic Deposition Models (Part I) and Selected Applications of RADM (Part II). NAPAP, National Acid Precipitation Assessment Program.

Duarte-Davidson, R., A. Sewart, R.E. Alcock, I.T. Cousins, and K.C. Jones. 1997. Exploring the balance between sources, deposition, and the environmental burden of PCDD/Fs in the UK terrestrial environment: An aid to identifying uncertainties and research needs. Environmental Science and Technology. 31(1):1-11.

Efron, B. 1980. The jackknife, the bootstrap, and other resampling plans. Technical Report No. 163. Department of Statistics, Stanford University, Stanford, California.

Efroymson, R., B. Sample, C. Hunsaker, B. Lyon, A. Simcock, and G. Suter. 1997. A dynamic model for terrestrial ecological exposure to toxic air pollutants. Society of Environmental Toxicology and Chemistry. 18th Annual Meeting.

Eisenberg, N., M. Federline, B. Sagar, G. Wittmeyer, J. Andersson, and S. Wingefors. 1995. Validation from a regulatory perspective. In: GEOVAL '94: Validation through model testing. OECD Documents, Safety Assessment of Radioactive Waste Repositories. Proceedings of an NEA/SKI Symposium Paris, France, 11-14 October 1994. Nuclear Energy Agency.

Ferrara, R., B.E. Maserti, and R. Breder. 1991. Mercury in abiotic and biotic compartments of an area affected by a geochemical anomaly (Mt. Amiata, Italy). Water Air and Soil Pollution. 56:219-233.

Fine, S.S., A. Eyth, and H. Karimi. 1998a. The Total Risk Integrated Methodology (TRIM) computer system architecture. Research Triangle Park, NC: MCNC-North Carolina Supercomputing Center.

Fine, S.S., A. Eyth, and H. Karimi. 1998b. The Total Risk Integrated Methodology (TRIM) computer system design. Research Triangle Park, NC: MCNC-North Carolina Supercomputing Center.

Gardner, W.S., D.R. Kendall, R.R. Odum, H.L. Windom, and J.A. Stephens. 1978. The distribution of methyl mercury in a contaminated salt marsh ecosystem. *Environ. Pollut.* 15:243-251.

Guha, S., S. Forbes, T.E. McKone, D.H. Bennet, B. and F. Lyon. 1997. A generalized, mass-conserving multimedia transport and transformation model: Development of transfer factors. Annual Meeting of the Society of Risk Analysis, Washington, DC.

Habicht, F.H. 1992. Memorandum from the Deputy Administrator of the U.S. EPA. Washington, DC: U.S. EPA, Office of the Administrator, Task Force on Environmental Regulatory Modeling. March 2.

Helton, J.C., R.L. Iman, J.D. Johnson, and C.D. Leigh. 1989. Uncertainty and sensitivity analysis of a dry containment test problem for the MAEROS Aerosol Model. *Nuclear Science and Engineering.* 102:22-42.

Hodges, J.S. and J.A. Dewar. 1992. Is it you or is your model talking? A framework for model validation. ISBN: 0-8330-1223-1. Santa Monica, CA: RAND Corporation.

Ignesti G., M. Lodovici, P. Dolara, P. Lucia, and D. Grechi. 1992. Polycyclic aromatic hydrocarbons in olive fruits as a measure of air pollution in the valley of Florence (Italy). *Bulletin of Environmental Contamination and Toxicology.* 48(6):809-814.

Johnson, T., G. Mihlan, J. LaPointe, K. Fletcher, and J. Capel. 1999. Estimation of Carbon Monoxide Exposures and Associated Carboxyhemoglobin Levels in Denver Residents Using pNEM/CO (version 2.0). Report prepared by TRJ Environmental, Inc., for the Office of Air Quality Planning and Standards under EPA Contract No. 68-D6-0064, March 1999.

Johnson, T., G.W. Suter, and T. Palma. 1997. TRIM.FaTE: A TRIM module for linking multimedia environmental systems with biotic domains. Annual Meeting of the Society of Risk Analysis, Washington, DC.

Johnson, T., M. McCoy, and J. Capel. 1993. Enhancements to the Hazardous Air Pollutant Exposure Model (HAPEM) as Applied to Mobile Source Pollutants. Report prepared by International Technology Corporation, for the Office of Air Quality Planning and Standards under EPA Contract No. 68-DO-0062, September 1993.

Johnson, T., J. Capel, R. Paul, and L. Wijnberg. 1992. Estimation of Carbon Monoxide Exposures and Associated Carboxyhemoglobin Levels in Denver Residents Using a Probabilistic Version of NEM. Report prepared by International Technology Corporation, for the Office of Air Quality Planning and Standards under EPA Contract No. 68-DO-0062, July 1992.

- Jones, K.C. and R. Duarte-Davidson. 1997. Transfers of airborne PCDD/Fs to bulk deposition collectors and herbage. *Environmental Science and Technology*. 31(10):2937-2943.
- Jury, W., W. Spencer, and W. Farmer. 1983. Behavior assessment model for trace organics in soil: I. Model description. *J. Environ. Qual.* 12:558-564.
- Ko, F.C. and J.E. Baker. 1995. Partitioning of hydrophobic organic contaminants to resuspended sediments and plankton in the mesohaline Chesapeake Bay. *Marine Chemistry*. 49:171-188.
- Konikow L.F. and J.D. Bredehoeft. 1992. Ground-water models cannot be validated. *Adv Water Resour.* 15(1):75-83.
- Kucklick, J.R., H.R. Harvey, P.H. Ostrom, N.E. Ostrom, and J.E. Baker. 1996. Organochlorine dynamics in the pelagic food web of Lake Baikal. *Environmental Toxicology and Chemistry*. 15(8):1388-1400.
- Kucklick, J.R. and J.E. Baker. 1998. Organochlorines in Lake Superior's food web. *Environmental Science and Technology*. 32:1192-1198.
- Layton, D.W., T.E. McKone, J.P. Knezovich, and J.J. Wong. 1993. Assessment of Exposures to Genotoxic Substances. In: *Methods for Genetic Risk Assessment*. Ann Arbor, MI: Lewis Publishers.
- Leister, D.L. and J.E. Baker. 1994. Atmospheric deposition of organic contaminants to the Chesapeake Bay. *Atmospheric Environment*. 21(8):1499-1520.
- Lenka, M., K.K. Panda, and B.B. Panda. 1992. Monitoring and assessment of mercury pollution in the vicinity of a chlor-alkali plant. 4. Bioconcentration of mercury in *in situ* aquatic and terrestrial plants at Ganjam, India. *Archives of Environmental Contamination and Toxicology*. 22(2):195-202.
- Lyon, B.F., S. Guha, and T.E. McKone. 1997. TRIM: Mathematical and numerical aspects. Annual Meeting of the Society of Risk Analysis, Washington, DC.
- Maddalena R.L., T.E. McKone, D.P.H. Hsieh, and S. Geng. 1999. Influential parameter classification in probabilistic multimedia models. *Stochastic Environmental Research and Risk Assessment*.
- Maddalena, R.L. 1998. Model directed investigation and measurement of the fate of polycyclic aromatic hydrocarbons among the atmosphere and vegetation. Ph.D. Dissertation, University of California, Davis.
- Maserti, B.E. and R. Ferrara. 1991. Mercury in plants, soil and atmosphere near a chlor-alkali complex. *Water Air and Soil Pollution*. 56:15-20.

- Mason, R.P., N.M. Lawson, A.L. Lawrence, J.J. Leaner, J.G. Lee, and G.R. Sheu. 1999. Mercury in the Chesapeake Bay. *Marine Chemistry*. 65(1-2):77-96.
- Mason, R.P., N.M. Lawson, and K.A. Sullivan. 1997a. Atmospheric deposition to the Chesapeake Bay Watershed – Regional and local sources. *Atmospheric Environment*. 31(21): 3531-3540.
- Mason, R.P., N.M. Lawson, and K.A. Sullivan. 1997b. The concentration, speciation and sources of mercury in Chesapeake Bay precipitation. *Atmospheric Environment*. 31(21): 3541-3550.
- McConnell L.L., E. Nelson, C.P. Rice, J.E. Baker, W.E. Johnson, J.A. Harman, and K. Bialek. 1997. Chlorpyrofos in the air and surface water of Chesapeake Bay: Predictions of atmospheric deposition fluxes. *Environmental Science and Technology*. 31:1390-1398.
- McKone, T.E., S. Guha, T. Johnson, B. Lyon, G. Suter, and A. Vasu. 1997a. A multimedia health and ecological risk assessment methodology for air pollutants. *Society of Environmental Toxicology and Chemistry*. 18th Annual Meeting.
- McKone, T.E., T.R. Johnson, and G.W. Suter II. 1997b. Estimating multi-pathway human and ecosystem exposures within the Total Risk Integrated Model (TRIM). *Annual Meeting of the Society of Risk Analysis*, Washington, DC.
- McKone, T.E. 1993a. CalTOX, A Multimedia Total-Exposure Model for Hazardous Wastes Sites Part I: Executive Summary, Lawrence Livermore National Laboratory, Livermore, CA, URL-CR-11456, Pt. I.
- McKone, T.E. 1993b. CalTOX, A Multimedia Total-Exposure Model for Hazardous Wastes Sites Part II: The Dynamic Multimedia Transport and Transformation Model, Lawrence Livermore National Laboratory, Livermore, CA, UCRL-CR-11456, Pt. II.
- McKone, T.E. 1993c. CalTOX, A Multimedia Total-Exposure Model for Hazardous Wastes Sites Part III: The Multiple-Pathway Exposure Model, Lawrence Livermore National Laboratory, Livermore, CA, UCRL-CR-11456, Pt. III.
- Morgan, G.M. and M. Henrion. 1990. *Uncertainty: A guide to dealing with uncertainty on quantitative risk and policy analysis*. New York, NY: Cambridge University Press.
- Nguyen, K.C., J.A. Noonon, I.E. Galbally, and W.L. Physik. Predictions of plume dispersion in complex terrain: Eulerian versus Lagrangian models. *Atmospheric Environment*. 31(7): 947-958.
- NRC. 1996. *National Research Council. Understanding Risk*. Washington, DC: National Academy Press.

NRC. 1994. National Research Council. Science and judgment in risk assessment. Washington, DC: National Academy Press.

NRC. 1983. National Research Council. Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press.

Offenberg, J.H. and J.E. Baker. 1997. Polychlorinated biphenyls in Chicago precipitation: Enhanced wet deposition to near-shore Lake Michigan. *Environmental Science and Technology*. 31:1534-1538.

Oreskes, N., K. Shrader-Frechette, and K. Belitz. 1994. Verification, validation, and confirmation of numerical models in the earth sciences. *Science*. 263:641-646.

Özkaynak, H., M. Zufall, J. Burke, J. Xue, and J. Zidek. 1999. A probabilistic population exposure model for PM₁₀ and PM_{2.5}. Presented at 9th Conference of the International Society of Exposure Analysis, Athens, Greece, September 5-8, 1999.

Palma, T., M. Riley, and J.E. Capel. 1996. Development and Evaluation of Enhancements to the Hazardous Air Pollutant Exposure Model (HAPEM-MS3). Report prepared by International Technology Corporation, for the Office of Air Quality Planning and Standards under EPA Contract No. 63-DO-30094, September 1996.

Pleim, J.E. and J. Chang. 1992. A non-local closure model for vertical mixing in the convective boundary layer. *Atmospheric Environment*. 26A: 965-981.

Saltelli, A., S. Tarantula, and K. Chan. 1999. A quantitative model independent method for global sensitivity analysis of output. *Technometrics*. 41(1): 39-56.

Schatzmann, M., S. Rafailidis, and M. Pavageau. 1997. Some remarks on the validation of small-scale dispersion models with field and laboratory data. *Journal of Wind Engineering and Industrial Aerodynamics*. 67(8):885-893.

Sexton, K., D.E. Kleffman, and M.A. Callahan. 1995. An introduction to the National Human Exposure Assessment Survey (NHEXAS) and related Phase I field studies. *Journal of Exposure Analysis and Environmental Epidemiology*. 5(3):229-232.

Shaw, B.P. and A.K. Panigrahi. 1986. Uptake and tissue distribution of mercury in some plant species collected from a contaminated area in India: Its ecological implications. *Arch. Environ. Contam. Toxicol.* 15:439-446.

Simonich S.L. and R.A. Hites. 1994. Vegetation-atmosphere partitioning of polycyclic aromatic hydrocarbons. *Environmental Science and Technology*. 28(5):939-943.

Spear, C.R. 1997. Large simulation models: Calibration, uniqueness and goodness of fit. *Environ Modeling and Software*. 12:219-228.

- Spear, R.C., T.M. Grieb, and N. Shang. 1994. Parameter uncertainty and interaction in complex environmental models. *Water Resources Research*. 30(11):3159-3169.
- Talmage, S.S. and B.T. Walton. 1993. Food chain transfer and potential renal toxicity of mercury to small mammals at a contaminated terrestrial field site. *Ecotoxicol*. 2:243-256.
- Taylor, A.C. 1993. Using objective and subjective information to develop distributions for probabilistic exposure assessment. *Journal of Exposure Analysis and Environmental Epidemiology*. 3:285-298.
- Thomas, W., A. Ruhling, and H. Simon. 1984. Accumulation of airborne pollutants (PAH, chlorinated hydrocarbons, heavy metals) in various plant species and humus. *Environ. Pollut (Series A)*. 36:295-310.
- U.S. EPA. 1999a. U.S. Environmental Protection Agency. An SAB Advisory: The National Human Exposure Assessment Survey (NYHEXASS) Pilot Studies. EPA-SAB-IHEC-ADV-99-004. Integrated Human Exposure Committee, Science Advisory Board. February.
- U.S. EPA. 1999b. U.S. Environmental Protection Agency. Deposition of air pollutants to the Great Waters: Third Report to Congress. In press. Office of Air Quality Planning and Standards.
- U.S. EPA. 1999c. U.S. Environmental Protection Agency. Guidance for Conducting Health Risk Assessment of Chemical Mixtures. External Scientific Peer Review Draft. NCEA-C-0148. April 1999. Office of Research and Development, Washington, DC.
- U.S. EPA. 1999d. U.S. Environmental Protection Agency. Methodology for Assessing Health Risks Associated with Multiple Pathways of Exposure to Combustor Emissions. Office of Research and Development, National Center for Environmental Assessment. EPA 600/R-97/137.
- U.S. EPA. 1999e. U.S. Environmental Protection Agency. National Air Toxics Program: The Integrated Urban Strategy. *Federal Register* 64: 38705-38740. July 19.
- U.S. EPA. 1999f. U.S. Environmental Protection Agency. Residual Risk Report to Congress. Office of Air Quality Planning and Standards, Research Triangle Park, NC. March.
- U.S. EPA. 1999g. U.S. Environmental Protection Agency. Systems Installation and Operation Manual for the EPA Third-Generation Air Quality Modeling System (Models-3 Version 3.0). Atmospheric Modeling Division, National Exposure Research Laboratory, Research Triangle Park, NC and EPA Systems Development Center (A contractor operated facility), Science Applications International Corporation, Arlington, VA. June.
- U.S. EPA. 1999h. U.S. Environmental Protection Agency. Total Risk Integrated Methodology (TRIM) TRIM.Expo Technical Support Document. External Review Draft. EPA-453/D-99-001. Research Triangle Park, NC: Office of Air Quality Planning and Standards. November.

U.S. EPA. 1999i. U.S. Environmental Protection Agency. Total Risk Integrated Methodology (TRIM) TRIM.FaTE Technical Support Document, Volume I: Description of Module. External Review Draft. Office of Air Quality Planning and Standards. EPA-453/D-99-002A. November.

U.S. EPA. 1999j. U.S. Environmental Protection Agency. Total Risk Integrated Methodology (TRIM) TRIM.FaTE Technical Support Document, Volume II: Description of Chemical Transport and Transformation Algorithms. External Review Draft. Office of Air Quality Planning and Standards. EPA-453/D-99-002B. November.

U.S. EPA. 1998a. U.S. Environmental Protection Agency. Advisory on the Total Risk Integrated Methodology (TRIM). EPA-SAB-EC-ADV-99-003. Science Advisory Board.

U.S. EPA. 1998b. U.S. Environmental Protection Agency. Peer Review Handbook. EPA/100-B-98-001. January. Washington, DC: Office of Science Policy.

U.S. EPA. 1998c. U.S. Environmental Protection Agency. Risk Characterization Handbook. Draft. EPA 100-B-99-00X. Science Policy Council.

U.S. EPA. 1998d. U.S. Environmental Protection Agency. Study of Hazardous Air Pollutants from Electric Utility Steam Generating Units – Final Report to Congress. EPA 453/R-989-004a. February.

U.S. EPA. 1998e. U.S. Environmental Protection Agency. The Total Risk Integrated Methodology: Implementation of the TRIM conceptual design the TRIM.FaTE module. Status report. EPA-452/R-98-001. Office of Air Quality Planning and Standards.

U.S. EPA. 1998f. U.S. Environmental Protection Agency. The Total Risk Integrated Methodology: Technical Support Document for the TRIM.FaTE Module. Office of Air Quality Planning and Standards. March 1998. EPA-452/D-98-001.

U.S. EPA. 1998g. U.S. Environmental Protection Agency. White paper on the nature and scope of issues on adoption of model use and acceptability guidance. External review draft. Washington, DC: Science Policy Council.

U.S. EPA. 1997a. U.S. Environmental Protection Agency. Mercury Study Report to Congress (Volumes I-VIII). EPA-452/R-97-005. Office of Air Quality Planning and Standards.

U.S. EPA. 1997b. U.S. Environmental Protection Agency. Guiding principles for Monte Carlo analysis. EPA/630/R-97/001. Washington, DC: Office of Research and Development.

U.S. EPA. 1997c. U.S. Environmental Protection Agency. Guidance on Cumulative Risk Assessment.

U.S. EPA. 1996a. U.S. Environmental Protection Agency. Guidelines for Reproductive Toxicity Risk Assessment. EPA/630/R-96/009. Washington, DC: Office of Research and Development.

U.S. EPA. 1996b. U.S. Environmental Protection Agency. Proposed Guidelines for Carcinogen Risk Assessment. EPA-600/P-92-003c. Washington, DC: Office of Research and Development.

U.S. EPA. 1995a. U.S. Environmental Protection Agency. Guidance for Risk Characterization. Office of Science Policy, Washington, DC.

U.S. EPA. 1995b. U.S. Environmental Protection Agency. Policy for Risk Characterization at the U.S. Environmental Protection Agency. Office of the Administrator, Washington, DC.

U.S. EPA. 1995c. U.S. Environmental Protection Agency. User's Guide for the Industrial Source Complex (ISC3) Dispersion Models: Volume I: User's Instructions. Office of Air Quality Planning and Standards, Emissions, Monitoring, and Analysis Division, Research Triangle Park, North Carolina.

U.S. EPA. 1994a. U.S. Environmental Protection Agency. Report of the Agency Task Force on Environmental Regulatory Modeling. Guidance, support needs, draft criteria and charter. EPA 500-R-94-001. Washington, DC: Office of Solid Waste and Emergency Response.

U.S. EPA. 1994b. U.S. Environmental Protection Agency. Validation Strategy for the Integrated Exposure Uptake Biokinetic Model for Lead in Children. PB94-963504, EPA 540/R-94-039, Publication Number 9285.7-21. Washington, DC: Technical Review Workgroup for Lead, Office of Emergency and Remedial Response.

U.S. EPA. 1993. U.S. Environmental Protection Agency. Communicating Risk to Senior EPA Policy Makers: A Focus Group Study, Office of Air Quality Planning and Standards, Research Triangle Park, NC. March 1993.

U.S. EPA. 1989. U.S. Environmental Protection Agency. Resolution on the use of mathematical models by EPA for regulatory assessment and decision making. EPA-SAB-EEC-89-012. Washington, DC: Science Advisory Board, Environmental Engineering Committee.

U.S. EPA. 1986a. U.S. Environmental Protection Agency. Guidelines for the health risk assessment of chemical mixtures. Federal Register 51: 34014-34025. September 24.

U.S. EPA. 1986b. U.S. Environmental Protection Agency. Users Manual for the Human Exposure Model (HEM). Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA-540/5-86-001. June.

University of California. 1998. Health and environmental assessment of MTBE.
<http://tsrtp.ucdavis.edu/mtberpt>.

van de Meent, D. 1993. SIMPLEBOX: A generic multimedia fate evaluation model. Report No. 672720 001. National Institute of Public Health and Environmental Protection (RIVM). Bilthoven, Netherlands.

- Vasu, A.B., R.G. Hetes, T. Palma, and T.E. McKone. 1998. TRIM: A multimedia, multipathway framework for assessing human and ecological exposure and risk. Society of Environmental Toxicology and Chemistry. 19th Annual Meeting.
- Vasu, A., M. Dusetzina, R. Hetes, T. Palma, H. Richmond, T. McKone, and T. Johnson. 1997. Introduction to the Total Risk Integrated Methodology (TRIM). Annual Meeting of the Society of Risk Analysis, Washington, DC.
- Vose, D. 1996. Quantitative risk analysis: A guide to Monte Carlo simulation. West Sussex, England: John Wiley & Sons Ltd.
- Yang, S.Y.N., D.W. Connell, D.W. Hawker, and S.I. Kayal. 1991. Polycyclic aromatic hydrocarbons in air, soil, and vegetation in the vicinity of an urban roadway. The Science of the Total Environment. 102:229-240.
- Zimmer, R, J. Dee, D. Jones, B. Sample, and G. Suter. 1997. Use of EcoFaTE in modeling pollutant mass transfers and subsequent risks within aquatic systems. Society of Environmental Toxicology and Chemistry. 18th Annual Meeting.